



TREE REMOVAL APPLICATION
 City Of Oldsmar - Planning & Redevelopment 100 State
 Street West, Oldsmar, FL 34677-3655
 Phone: (813) 749-1129 Fax: (813) 855-2730
 Email: Planredev@myoldsmar.com
\$10.00 Application Fee Due at Submittal

Date Received: _____ Fee Received: _____ Receipt No. _____ Application No. _____

Tree Removal Address: _____

Property Owner's Name: _____ **Phone:** _____

Address: _____

City: _____ **State:** _____ **Zip Code:** _____

E-mail: _____

Type and number of trees to be removed:
Reason for removal:

Certification

I hereby certify that this application is a true account of all the facts concerning removal of trees on the said property. It is understood that any deviation from this approval will render the application null and void and shall be considered as a violation of Article XII of the City of Oldsmar.

 Signature of property owner _____
 Date

Conditions for removal:

<input type="checkbox"/> Approved <input type="checkbox"/> Denied	_____ Code Enforcement/Inspector Signature	_____ Date
---	---	---------------

***Please download form prior to filling out any field in order to submit completed form via email.**

[12.3.1. - Canopy trees.]

12.3.1.1. Canopy tree requirements.

Canopy trees shall be required on all land uses in the city for the purpose of providing shade, absorbing nutrients from stormwater runoff, and for habitat for wildlife.

12.3.1.2. Canopy trees—Residential single-family, duplex and triplex development.

Single-family detached, duplex and triplex residential land uses shall be required to provide canopy trees based on the size area of the lot. The following minimum standards shall apply:

Lot Size Square Footage	Minimum Requirements
4,000—6,000 sq. ft.	2 trees
6,000—9,500 sq. ft.	4 trees
9,500—16,500 sq. ft.	6 trees
Over 16,500 sq. ft.	8 trees, plus one tree for each 2,000 square feet in excess of 16,500 square feet

12.3.1.3. Canopy trees—Multifamily residential, commercial and industrial development.

Canopy tree shading is required on all impervious surfaces associated with multifamily residential, commercial and industrial land uses. Impervious surfaces shall include all structures, all land paved with concrete or asphalt that is used for off-street parking, driveways, sidewalks, and service areas. In order to satisfy the canopy requirement, canopy trees shall be interspersed with all impervious surfaces, under the provisions as set forth in section 12.4 of this article, rather than restricted in any way to only a portion of the impervious surfaces serving the development. The following requirements shall be considered the minimum:

AREA OF IMPERVIOUS SURFACE RATIO

Less than 10,000 sq. ft.	1 tree/1,000 sq. ft.*
10,000—110,000 sq. ft.	1 tree/2,500 sq. ft.* plus 10 additional trees
Over 110,000 sq. ft.	1 tree/5,000 sq. ft.* plus 50 additional trees

*Or fraction thereof

Any removal of canopy trees shall require that up to this minimum number will be replaced. Any canopy trees left in good condition on the site may be counted towards these minimum numbers.

Any removal of trees will require that up to this minimum number will be replaced. Any canopy trees left in good condition on the site may be counted toward these minimum numbers.

12.2.2. - Resource trees.

For purposes of this article the following trees with the specified diameter at breast height (DBH) are determined to be resource trees:

Common Name	Botanical Name	
All oak species	(<i>Quercus</i> spp;hk;.);\hk;	
Maple	(<i>Acer</i> spp;hk;.);\hk;	
Sweet gum	(<i>Liquidambar styracflua</i>)	
Hickory	(<i>Carya</i> spp;hk;.);\hk;	
Elm	(<i>Ulmus</i> spp;hk;.);\hk;	
Loblolly bay	(<i>Cordoma lasianthus</i>)	
Sweet bay	(<i>Magnolia virginiana</i>)	
Real bay	(<i>Persea borbonia</i>)	
Swamp bay	(<i>Persea palustris</i>)	
Sycamore	(<i>Platanus occidentalis</i>)	
Magnolia	(<i>Magnolia grandiflora</i>)	